

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Version: O08/P

SECTION 1: Identification

1.1. **Product identifier**

· Leveline® 15 Product name : Not available. Product code

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cement-based self-leveling underlayment

Details of the supplier of the safety data sheet 1.3.

Penetron Specialty Products Inc. 601 S. 10th Street, Unit 300 Allentown, PA 18103 - USA T +1 (631) 941-9700

info@penetronsp.com - www.penetronsp.com

Emergency telephone number

Emergency number : (Chemtrec): US and Canada: 1-800-424-9300; International +1 703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irritation 2

Serious Eye Damage 1

Carcinogencity 1A

Reproductive Toxicity 1A

Specific Target Organ Toxicity - Repeated Exposure 1

Label elements 2.2.

GHS-US labelling

Hazard pictograms (GHS-US)





GHS05

Signal word (GHS-US)

Hazard statements (GHS-US)

: Danger

Causes skin irritation. Causes serious eye damage. May cause cancer. May damage fertility or the

unborn child. Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS-US) : Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. If exposed or concerned: Get medical advice/ attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Store locked up. Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3. Other hazards

No additional information available.

Unknown acute toxicity (GHS-US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. **Substance**

Not applicable.

EN (English US) Page 1

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

3.2. Mixture

Name	Product identifier	%
Quartz	(CAS No) 14808-60-7	40 - 50
Cement, alumina, chemicals	(CAS No) 65997-16-2	10 - 30
Cement, portland, chemicals	(CAS No) 65997-15-1	5 - 10
Calcium sulfate	(CAS No) 7778-18-9	5 - 10
Lithium carbonate	(CAS No) 554-13-2	0.1 - 1

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

First-aid measures after eve contact : In case of contact, imm

: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

First-aid measures after ingestion

: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: May cause respiratory tract irritation. May cause burns in the presence of moisture.

Symptoms/injuries after skin contact

 $: \ \ \, \text{Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of} \\$

the skin. May cause burns in the presence of moisture.

Symptoms/injuries after eye contact

: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear

production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion

: May be harmful if swallowed. May cause stomach distress, nausea or vomiting. May cause burns in the presence of moisture.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Treat for surrounding material.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Product:

5.3. Advice for firefighters

Protection during firefighting

: Products of combustion may include, and are not limited to: oxides of carbon.

: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. Methods and material for containment and cleaning up

For containment

: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up

: Vacuum or sweep material and place in a disposal container. Avoid generating dust. Provide ventilation.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

EN (English US) 2/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Keep container tightly closed. Store in original container in a dry, cool, well-ventilated area. Keep out of direct sunlight. Keep away from food and drink. Store locked up

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	0.05 mg/m³ (vacated)

Cement, alumina, chemicals (65997-16-2)	
ACGIH	Not applicable.
OSHA	Not applicable.

Cement, portland,	Cement, portland, chemicals (65997-15-1)	
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³ (no asbestos and <1% crystalline silica, respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total) 5 mg/m³ (resp) 50 mppcf (<1% Crystalline silica)

Calcium sulfate (7778-18-9)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ (inhalable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

Lithium carbonate (554-13-2	
ACGIH	Not applicable.
OSHA	Not applicable.

8.2. Exposure controls

Appropriate engineering controls

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Hand protection

: Protective gloves made of rubber or PVC.

Eye protection

: Wear approved eye (properly fitted dust- or splash-proof chemical safety goggles) / face (face shield) protection.

Skin and body protection

: Wear suitable protective clothing.

Respiratory protection

: A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

Environmental exposure controls

: Maintain levels below Community environmental protection thresholds.

Other information

: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

EN (English US) 3/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder
Color : Gray
Odor : No odor

Odor threshold : No data available

pH : 10 - 12 (10% solution in water)

Melting point : No data available Freezing point : No data available Boiling point No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not flammable **Explosion limits** : No data available Explosive properties No data available : No data available Oxidizing properties : No data available Vapor pressure : 2 +/-0.05 kg/l Relative density Relative vapor density at 20 °C : No data available

Specific gravity / density : 2.65 Solubility : Slight.

Partition coefficient: n-octanol/water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use. Reacts with water to form alkaline solution

10.4. Conditions to avoid

Heat. Incompatible materials. Water, humidity.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

EN (English US) 4/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Leveline® 15	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	No data available
Calcium sulfate (7778-18-9)	
LD50 oral rat	> 3000 mg/kg
Lithium carbonate (554-13-2)	
LD50 oral rat	525 mg/kg
LC50 inhalation rat	> 2.17 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.

Respiratory or skin sensitization : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : May cause cancer.

Quartz (14808-60-7)		
	IARC group	1 - Carcinogenic to humans
	National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

Reproductive toxicity : May damage fertility or the unborn child.

Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory tract irritation. May cause burns in the presence of moisture.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of

the skin. May cause burns in the presence of moisture.

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting. May cause burns

in the presence of moisture.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No known significant effects or critical hazards.

12.2. Persistence and degradability

Leveline® 15	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Leveline® 15	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

EN (English US) 5/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 14: Transport information

14.1 DOT, ADR, IMDG, IATA transportation

In accordance with DOT, ADR, IMDG, IATA

Not regulated for transport

Not regulated as Dangerous Goods

14.2. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Slag (Recycled By-product) CAS No 65596-69-2

Lithium carbonate (554-13-2)	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 %

15.2. US State regulations

Leveline® 15	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth
	defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 02/13/2012
Revision date : 08/05/2024
Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

EN (English US) 6/6